INCLUDED FEATURES

Blades (5) Included

- 12° Pitch
- 44" Sweep
- Reversible
- Wood

Downrods 6" Downrod with 1" (O.D.)

Downlight Replaceable. Integrated (1) 17 Dimmable, 1600 Lumens LED Platform, 80 CRI, 3000K

Downlight Glass Frosted White

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable Yes, Dual Mount Included

Control 65K Wall Control – Full Function

FAN FEATURES

Mounting Slope - Pitch 18°

Lead Wire 78"

cETL Listed Indoor

Hanging Weight 11 lbs.

Body Material Steel

Warranty Limited Lifetime

MOTOR FEATURES

Motor Size/Type 153mm X 12mm, AC

Amps 0.42 on High

RPM 192 on High

Energy Star® No

INCLUDED CONTROLS



65K WALL CONTROL -**FULL FUNCTION**

- 3 Forward Speeds. Reverse & Motor Off
- Lights On/Off with Full-Range Dimming

OPTIONAL CONTROLS



65K COOLTOUCH™ TRANSMITTER -**FULL FUNCTION** 370006 (Shown)

BLADE SPECS

Blade Finish & Part Number (Side 1) (Reversible)

Fan Finish




















HANGING MEASUREMENTS

WITH 6" DOWNROD

Fixture Drop	Blade Drop	Housing	Ceiling Canopy
(from ceiling)	(from ceiling)	(width)	(width)
A: 15.25"	B: 13.50"	C: 7.75"	



FLUSH MOUNT

Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
A: 10.25"	B: 8.50"	C: 7.75"	D: 6.50"



AIR PERFORMANCE				
AIRFLOW Cubic Ft. Per Minute	POWER USAGE Watts on High	AIRFLOW EFFICIENCY Cubic Ft.		
on High	(Excludes Lights)	Per Minute Per Watt		
3445	52	116		

AIR PERFORMANCE (FLUSH)					
AIRFLOW Cubic Ft. Per Minute on High	POWER USAGE Watts on High (Excludes Lights)	AIRFLOW EFFICIENCY Cubic Ft. Per Minute Per Watt			
3191	51	66			